

## FINAL REPORT

CERTIFICATE No.: 25725



Boral Cement Limited

N 62 008 528 523

Taylor Avenue New Berrima NSW 2577

Locked Bag 4 New Berrima NSW 2577

T +61 2 4860 2222

**TEST CERTIFICATE OF:** Geelong Daily Despatch Enviroment  
**PRODUCED AT:** Boral Cement Limited Geelong  
**TESTED AT:** Berrima Works Laboratory  
**SAMPLE IDENTIFICATION:** GDDNM2400455  
**DATE DESPATCHED:** 5/02/2024

PROPERTY	REQUIREMENTS OF AS 3582.2	RESULT
Insoluble Residue (AS 3583.14)		0.1 %
LOI (AS 3583.3)		0.2 %
SO <sub>3</sub> (AS 2350.2; TM 10.01.07)		2.5 %
MgO (AS 2350.2)	≤ 15.0 %	6.6 %
Al <sub>2</sub> O <sub>3</sub> (AS 2350.2)	≤ 18.0 %	14.4 %
Fe <sub>2</sub> O <sub>3</sub> (AS 2350.2)		0.9 %
expressed as FeO *		0.8 %
Mn <sub>2</sub> O <sub>3</sub> (AS 2350.2)		0.2 %
expressed as MnO *		0.2 %
Total Alkali (AS 2350.2)		0.4 %
Cl (AS 2350.2)	≤ 0.1 %	0.02 %
Fineness passing 45µm sieve (AS 3583.1)		99 %
Fineness Index (AS 2350.8)		480 m <sup>2</sup> /kg

### REMARKS

Sampling not carried out by laboratory. Samples tested as received.

\* NATA accreditation does not cover the performance of this service.



Accredited for compliance with ISO/IEC 17025 - Testing

Marc Smith  
Technical Services Manager



**Building  
something  
great**

**TEST REPORT – MILLED SLAG**

**CLIENT:** BORAL CEMENT – (TECHNICAL)

**FILE NO:** 50/24

**ADDRESS:** 39 Delhi Road, North Ryde, NSW 2113

**REQUEST NO:** 110766

**LAB SAMPLE NO:** 298882

**SOURCE OF SAMPLE:** Boral Cement - Geelong

**DATE RECEIVED:** 20/02/2024

**SAMPLE IDENTIFICATION:** Enviroment ID # GDDNM2400455 - Date sampled: 05/02/2024

**IDENTIFICATION OF CEMENT USED:** Boral Cement SL Berrima Ref. 2019

**TEST METHOD: AS 3583:** Methods of test for supplementary cementitious materials for use with Portland cement

PROPERTY	TEST METHOD	RESULT	DATE TESTED
Relative density	AS 3583.5	2.88	27/02/2024
Relative water requirement	AS 3583.6	103%	29/02/2024
Relative strength 7 days (accelerated)	AS 3583.6	96%	07/03/2024
Relative strength 28 days (standard)	AS 3583.6	90%	28/03/2024

Marc Smith, Parisa Sowti, Violeta Paicu, Mat File, File

**Note:**

- Sample supplied by the client and tested as received.

Approved signatory

Sam El-Hamawi

Date

30/03/2024

Serial no.

CEM110766.SE.1





**Building  
something  
great**

## TEST REPORT

CLIENT: BORAL CEMENT – TECHNICAL  
39 Delhi Road, North Ryde, NSW 2113.

FILE No.:50/24

PROJECT: Testing of Enviroment Sample from Boral Cement – Geelong.

REQUEST No.: 110766

### **TEST PROCEDURE:**

AS 3583.12 – 1991 – Determination of Available Alkali

Laboratory Sample No.: 298882  
Date Sampled: 05/02/2024  
Date Received: 20/02/2024  
Date Tested: 22/03/2024  
Sample Description: Enviroment ID #  
GDDNM2400455  
Field No.: 1

### **TEST RESULTS:**

Sodium as Na<sub>2</sub>O (%) 0.05  
Potassium as K<sub>2</sub>O (%) 0.06  
Available Alkali (%) 0.1

Available Alkali (%) = Na<sub>2</sub>O (%) + (0.658 x K<sub>2</sub>O %)

### **Note:**

- Sample was provided by the Client and tested as received.

Parisa Sowti, Violeta Paicu, Marc Smith, Mat.File, File.

Approved signatory

Nanthini Selvadurai

Date 22-03-24

Serial no. CHEM110766.NS.1



## TEST REPORT

CLIENT: BORAL CEMENT – TECHNICAL  
39 Delhi Road, North Ryde, NSW 2113.

FILE No.:50 / 24

PROJECT: Testing of Enviroment Sample from Boral Cement – Geelong.

REQUEST No.: 110766

**TEST PROCEDURE:** AS 3583.7 – Determination of Sulfide Sulfur content

Laboratory Sample No.: 298882  
Date Sampled: 05/02/2024  
Date Received: 20/02/2024  
Date Tested: 18/03/2024  
Sample Description: Enviroment ID #  
GDDNM2400455  
Field No.: 1

### TEST RESULTS:

Sulfide Sulfur as S (%) 0.18

Sample submitted by the Client.

- Sample was provided by the Client.
- Test results in this test report relate only to the sample tested.
- This report shall not be reproduced except in full without the approval of the Boral MTS Laboratory.



Nanthini S

21<sup>st</sup> March 2024

Parisa Sowti, Violeta Paicu, Marc Smith, Mat.File, File.